

ILLUSTRATED LIST OF PARTS


FOR

57

Ransomes

“ANGLIA”

Mk. 5 LAWN MOWER




RANSOMES SIMS & JEFFERIES, LTD.
ORWELL WORKS : IPSWICH : ENGLAND

List of parts for Ransomes "Anglia" Lawn Mower, Mk. 5.

NOTE:—"Right or Left Hand" are taken standing at handle.

Item.	Mark.	Description.	Number per machine		
			10"	12"	14"
101	LMS 1161	Side frame assembly, R.H., comprising 1-LE 1, 1-LO 32, 1-LO 38, 1-RL 5, 1-LS 1808/19, 1-LS 2319/10, 1-LO 88, 1-LO 127, 1-LS 1808/4, 2-LS 2317/9, 2-LS 2571/5	1	1	1
	*LMS 1260	Side frame assembly, L.H., comprising 1-LE 2, 1-LS 2571/5	1	1	1
102	LMS 1162	Side frame assembly, L.H., comprising 1-LE 2, 1-NA 5766, 1-RL 5, 1-LO 88, 1-LMS 1143, 1-LS 2571/5	1	1	1
	*LMS 1259	Side frame assembly, R.H., comprising 1-LE 1, 2-NA 5763	1	1	1
103	LMS 1163	Cylinder assembly with nut, 7 knife, 10", comprising 1-LE 130, 1-LS 1808/13, 1-No. 1228	1	—	—
	*LMS 1164	Cylinder assembly, with nut, 7 knife, 12", comprising 1-LE 130A, 1-LS 1808/13, 1-No. 1228	—	1	—
	*LMS 2211	Cylinder assembly, with nut, 7 knife, 14", comprising 1-LE 130B, 1-LS 1808/13, 1-No. 1228	—	—	1
	*LMS 1166	Cylinder assembly, with nut, 8 knife, 10", comprising 1-LE 131, 1-LS 1808/13, 1-No. 1228	1	—	—
	*LMS 1167	Cylinder assembly, with nut, 8 knife, 12", comprising 1-LE 131A, 1-LS 1808/13, 1-No. 1228	—	1	—
	*LMS 1168	Cylinder assembly, with nut, 8 knife, 14", comprising 1-LE 131B, 1-LS 1808/13, 1-No. 1228	—	—	1
	*LMS 1169	Cylinder assembly, with nut, 6 knife, 10", comprising 1-LE 132, 1-LS 1808/13, 1-No. 1228	1	—	—
	*LMS 1170	Cylinder assembly, with nut, 6 knife, 12", comprising 1-LE 132A, 1-LS 1808/13, 1-No. 1228	—	1	—
	*LMS 1171	Cylinder assembly, with nut, 6 knife, 14", comprising 1-LE 132B, 1-LS 1808/13, 1-No. 1228	—	—	1
	*LMS 1172	Cylinder assembly, with nut, 5 knife, 10", comprising 1-LE 133, 1-LS 1808/13, 1-No. 1228	1	—	—
	*LMS 1173	Cylinder assembly, with nut, 5 knife, 12", comprising 1-LE 133A, 1-LS 1808/13, 1-No. 1228	—	1	—
	*LMS 1174	Cylinder assembly, with nut, 5 knife, 14", comprising 1-LE 133B, 1-LS 1808/13, 1-No. 1228	—	—	1
	*LMS 1244	Cylinder assembly, with nut, 10 knife, 10", comprising 1-LE 134, 1-LS 1808/13, 1-No. 1228	1	—	—
	*LMS 1245	Cylinder assembly, with nut, 10 knife, 12", comprising 1-LE 134A, 1-LS 1808/13, 1-No. 1228	—	1	—
	*LMS 1246	Cylinder assembly, with nut, 10 knife, 14", comprising 1-LE 134B, 1-LS 1808/13, 1-No. 1228	—	—	1
104	LBZ 10"	Spiral cutter	} As required	—	—
	*LBZ 12"	Spiral cutter			
	*LBZ 14"	Spiral cutter			
106	LMS 1214	Land roll spindle and nut assembly, 10", comprising 1-LE 47, 1-LS 1808/13, 1-LS 1808/20	1	—	—
	*LMS 1215	Land roll spindle and nut assembly, 12", comprising 1-LE 47A, 1-LS 1808/13, 1-LS 1808/20	—	1	—
	*LMS 1216	Land roll spindle and nut assembly, 14", comprising 1-LE 47B, 1-LS 1808/13, 1-LS 1808/20	—	—	1
107	LD 96	Bottom block, 10"	1	—	—
	*LD 96A	Bottom block, 12"	—	1	—
	*LD 96B	Bottom block, 14"	—	—	1
	*LMS 1256	Bottom block and blade assembly, comprising 1-LD 96, 1-APN 10, 3-L 43	1	—	—
	*LMS 1257	Bottom block and blade assembly, comprising 1-LD 96A, 1-APN 12, 4-L 43	—	1	—
	*LMS 1258	Bottom block and blade assembly, comprising 1-LD 96B, 1-APN 14, 5-L 43	—	—	1
108	APN 10"	Bottom blade, 10"	1	—	—
	*APN 12"	Bottom blade, 12"	—	1	—
	*APN 14"	Bottom blade, 14"	—	—	1

Parts of Ransomes "ANGLIA" Mower



List of parts for Ransomes "Anglia" Lawn Mower, Mk. 5.

Item.	Mark.	Description.	Number per machine		
			10"	12"	14"
	*L 43	Screws for bottom blade, 5/16" Whit. C/sk × 3/8" ...	3	4	5
110	NA 5766	Lubricators (Drive Fit Type) ...	5	5	5
111	NC/6059	Lubricators (Screwed Type) ...	2	2	2
	*LMS 1068	Cylinder bearing cap assembly, comprising 1-SR 3, 1-LO 14, 2-LS 2462/15, 2-LS 1853/2, 1-LS 1809/12 ...	2	2	2
112	SR 3	Cap for cylinder bearing ...	2	2	2
113	LS 2462/15	Bolts for do., 5/16" B.S.W. × 1 1/4" long, Hex. hd. ...	4	4	4
	*LS 1853/2	Nuts for do., 5/16" B.S.W. Sq. ...	4	4	4
114	LO 14	Adjusting screw for cylinder ...	2	2	2
	*LS 1809/12	Locknut for do., 7/16" B.S.W. × 5/32" thick ...	2	2	2
115	LO 15	Adjusting springs ...	2	2	2
116	LO 94	Cylinder bearing housing, L.H. ...	1	1	1
117	LO 93	Cylinder bearing housing, R.H. ...	1	1	1
118	RL 5	Ball bearings for cylinder and land roll spindle ...	4	4	4
119	L 115A	Spring washer ...	1	1	1
120	LO 12	Dust washer ...	2	2	2
121	LO 10	Felt washer ...	2	2	2
122	LO 13	Dust caps ...	2	2	2
123	LF 25	Cylinder pinion ...	1	1	1
124	LO 20	Distance piece ...	1	1	1
125	LS 1808/13	Nut for cylinder spindle, 5/8" B.S.F., Hex., 5/16" thick ...	1	1	1
126	LMA 342	Intermediate gear and pinion assembly, comprising 1-LBZ 129, 1-LO 33 ...	1	1	1
127	SR 30	Intermediate gear ...	1	1	1
128	LMS 1221	Intermediate pinion and bush, comprising 1-LO 33, 1-SR 31 ...	1	1	1
129	LE 34	Fixing pin for intermediate gear and pinion ...	1	1	1
130	LO 33	Bush for intermediate wheels ...	1	1	1
131	LMS 1057	Intermediate stud with nuts and washer assembly, comprising 1-LO 32, 1-LS 1808/19, 1-LO 38, 1-LO 215, 1-LS 2319/10 ...	1	1	1
132	LO 27	Fixing plate for bottom block ...	1	—	—
133	LO 26	Setscrews for bottom block, 5/16" B.S.F. × 1 3/8" Hex. ...	4	4	4
134	LS 1808/19	Nut for intermediate stud, 1/2" B.S.F. Hex. × 1/4" thick ...	1	1	1
135	LS 2319/10	Shakeproof washer for intermediate stud, 1/2" Std. ...	1	1	1
136	LO 38	Dome nut for intermediate stud ...	1	1	1
137	LE 54	Main gear ...	1	1	1
138	LS 2311/1	Key for do., ...	1	1	1
139	LE 55	Distance piece for main gear ...	1	1	1
140	LS 1808/13	Nut for land roll spindle, 3/8" B.S.F. × 5/16" thick, R.H. thread ...	1	1	1
140A	LS 1808/20	Nut for land roll spindle, 3/8" B.S.F. × 5/16" thick, L.H. thread ...	1	1	1
	*LMS 1142	Front carriage assembly, L.H., comprising 1-LO 70, 1-LO 73, 2-LS 1808/2 ...	1	1	1
141	LO 70	Front carriage, L.H. ...	1	1	1
142	LMS 1141	Front carriage assembly, R.H., comprising 1-LO 69, 1-LO 73, 3-LS 1808/2, 1-LS 2446/15 ...	1	1	1
142A	LO 69	Front Carriage R.H. ...	1	1	1
143	LS 2446/15	Clamping bolt for R.H. carriage, 1/4" B.S.F. × 1 1/4" Hex. ...	1	1	1
	*LS 1808/2	Nut for do., 1/4" B.S.F. ...	1	1	1
144	LO 71	Bush for R.H. carriage ...	1	1	1
145	LO 276	Handwheel and adjusting screw complete ...	1	1	1
146	LO 77	Adjusting spring ...	1	1	1
147	LO 76	Swivel nut for adjusting screw ...	1	1	1
148	LO 87	Sleeve nut for carriage stay ...	2	2	2
149	LO 88	Bush for do. ...	2	2	2
150	LMS 1151	"U" bolt for carriage with nut LS 1808/2 ...	2	2	2
151	LS 1808/2	Nuts for do., 1/4" B.S.F. ...	4	4	4
152	LMS 1222	Ratchet assembly, R.H., comprising 1-SR 46, 1-TC 38 ...	1	1	1
153	LMS 1223	Ratchet assembly, L.H., comprising 1-SR 47, 1-TC 38 ...	1	1	1
154	TC 38	Setscrew for ratchet, 3/8" dia. × 3/4", hardened hollow point ...	2	2	2

List of parts for Ransomes "Anglia" Lawn Mower, Mk. 5.

Item.	Mark.	Description.	Number per machine		
			10"	12"	14"
155	LR 2	Side handle, L.H.	1	1	1
156	LR 1	Side handle, R.H.	1	1	1
157	SR 68	Bolt for do., 5/16" dia Hex. × 1¼" long	2	2	2
158	LEE 68	Bolt for do. 5/16" dia. Hex. × 1½" long	2	2	2
159	NA 20	Pawl cover	2	2	2
160	NA 9	Screws for do	4	4	4
161	P 1	Pawl, R.H.	3	3	3
162	P 2	Pawl, L.H.	3	3	3
163	LE 82	Nameplate, 10"	1	—	—
	*LE 82A	Nameplate, 12"	—	1	—
	*LE 82B	Nameplate, 14"	—	—	1
164	LE 83	Setscrew for do., 3/16" Rd. Hd., slotted Whit. ½" long	1	1	1
165	LMS 1224	Back frame stay assembly comprising 1-LE 5, 2-LS 1808/4, 2-LS 1806/4	1	—	—
	*LMS 1225	Back frame stay assembly comprising 1-LE 5A, 2-LS 1808/4, 2-LS 1806/4	—	1	—
	*LMS 1059	Back frame stay assembly, comprising 1-LO 5, 2-LS 1808/4, 2-LS 1806/4	—	—	1
166	LS 1808/4	Nut for frame stay, ⅜" B.S.F., Hex.	1	1	1
167	LMS 1226	Front frame stay assembly, comprising 1-LE 76, 2-LS 1808/3	1	—	—
	*LMS 1227	Front frame stay assembly, comprising 1-LE 76A, 2-LS 1808/3	—	1	—
	*LMS 1062	Front frame stay assembly comprising 1-LO 89, 2-LS 1808/3	—	—	1
168	LS 1808/3	Nut for front frame stay, 5/16" B.S.F. Hex.	1	1	1
169	LMS 1228	Handle stay assembly, comprising 1-LD 69, 4-LS 1829/3	2	—	—
	*LMS 1229	Handle stay assembly, comprising 1-LD 69A, 4-LS 1829/3	—	2	—
	*LMS 1230	Handle stay assembly comprising 1-SR 69, 4-LS 1829/3	—	—	2
171	LMS 1231	Front carriage stay assembly, comprising 1-LE 74, 2-LO 87	1	—	—
	*LMS 1232	Front carriage stay assembly, comprising 1-LE 74A, 2-LO 87	—	1	—
	*LMS 1135	Front carriage stay assembly, comprising 1-LO 86, 2-LO 87	—	—	1
172	LMS 1233	Wood roll spindle assembly, comprising 1-LE 68, 2-LS 2424/13, 2-LS 2310/23	1	—	—
	*LMS 1234	Wood roll spindle assembly, comprising 1-LE 68A, 2-LS 2424/13, 2-LS 2310/23	—	1	—
	*LMS 1235	Wood roll spindle assembly, comprising 1-LE 68B, 2-LS 2424/13, 2-LS 2310/23	—	—	1
173	LE 29	Concave, 10"	1	—	—
	*LE 29A	Concave, 12"	—	1	—
	*LO 30	Concave, 14"	—	—	1
174	LE 51	Dust washers	2	2	2
175	SD 5238	Felt washer	2	2	2
176	LE 52	Dust cap (Inside)	2	2	2
177	LS 2317/9	Circlip for R.H. land roll spindle bearing	2	2	2
178	LO 49	Dust cap (outside)	1	1	1
179	LO 3	Cover for side frame	1	1	1
180	LO 4	Bolt for side frame cover, 3/16" Cup hd., slotted × 1 11/16"	1	1	1
183	*LMS 1143	Stud for grassbox clips assembly, comprising 1-LO 127, 1-LS 1808/4	2	2	2
184	LS 1808/4	Nut for do., ⅜" B.S.F. Hex.	2	2	2
185	LMS 1261	Land roll, R.H., with lubricator, NA 5766	1	—	—
	*LMS 1262	Land roll, R.H., with lubricator, NA 5766	—	1	—
	*LMS 1263	Land roll, R.H., with lubricator NA 5766	—	—	1
186	LMS 1264	Land roll, L.H., with lubricator NA 5766	1	—	—
	*LMS 1265	Land roll, L.H., with lubricator NA 5766	—	1	—
	*LMS 1266	Land roll, L.H., with lubricator NA 5766	—	—	1
187	LBZ 115	Wood roll	1	—	4
	*LBZ 116	Wood roll	—	3	—
188	LK 190	End wood roll, 2½" dia. × 3¼", bevelled end	2	—	—
189	LS 2424/13	Washer for wood roll spindle, 1½" O.D. × 19/32" I.D. × 16 Gauge	2	2	2
190	LS 2310/23	Split pin for do., ⅜" × 1½" long	2	2	2

* Not illustrated.

List of parts for Ransomes "Anglia" Lawn Mower, Mk. 5.

Item.	Mark.	Description.	Number per machine		
			10"	12"	14"
191	NAX 51	Wood handle grips	2	2	2
	*MQ 76	Bolt for $\frac{3}{8}$ " dia. \times $4\frac{7}{8}$ " cup hd., sqr. neck	2	2	2
192	LS 2506/1	Grease gun	1	1	1
193	LS 2510A/5	Spanner	1	1	1
194	LE 115	Spanner	1	1	1
	*LS 2508A/3	Box spanner with tommy bar ($\frac{3}{8}$ " \times $5/16$ " B.S.W.)	1	1	1
	*LO 142A	1 $9/16$ " ring spanner	1	1	1
195	LO 177	Spanner for cylinder locknuts	1	1	1
	*LE 99	Grassbox assembly complete	1	—	—
	*LE 99A	Grassbox assembly complete	—	1	—
	*LO 264	Grassbox assembly complete	—	—	1
	*LS 2424/2	Washers for handle bolts, $5/16$ " std.	2	2	2
	*LS 1829/3	Nuts for handle stays, $\frac{3}{8}$ " B.S.W. Hex.	8	8	8
196	LMS 4108	Tool kit complete with wrap	1	1	1

* Not illustrated.